



**VENTAS**  
French Door Locking System



**KEY FEATURES**

- 3 x 20mm brass forged deadbolts opposed to hooks for a remedial free product
- Full adjustment on every locking point
- Extension incorporating deadbolt (MASTER) and adjustable keep (SLAVE) for taller doors
- Lever lock mechanism for master and slave door for ease of use
- Double laminated security shootbolts on slave and master doors to give added security
- 45mm backset for slave and master lock for easy sash preparation
- Adjustable strike plates designed to finish flush with 20mm face plate so the product doesn't sit proud of edge of the door
- Face plate and drive bar manufactured from Stainless Steel
- Both locks split spindle on same spindle as standard
- Bi-directional gearbox operation
- Anti-fouling device fitted to slave lock ensuring you have to lock master before locking slave door
- Built in independent latch strike set for centering of 56 – 58mm doors
- 1870mm min height with handle height of 1050mm for fully shot French doors, can be used for shorter doors if reducing handle height or not fitting top shoot bolt
- PAS24 accredited, for single and French doors. If you are interested in achieving PAS24 or equivalent EN please contact sales office
- Adjustable range of single door keeps for 44mm and 56mm doors, fully pocketed, adjustable single or double shootbolt keeps
- Non-handed

**PLEASE STATE SASH REBATE SIZE WHEN ORDERING AND WE WILL WORK OUT THE COMPONENTS YOU REQUIRE**

**TESTED & PASSED**  
**TO PAS24 (2012)**



**WESTWARD**




**VENTAS**  
French Door Locking System




**OPTION 2:**

LOCKING SYSTEM FOR DOUBLE REBATED DOORS




SOLD  
SEPARATELY  
TDK VRK



**OPTION 3:**

LOCKING SYSTEM FOR SQUARE EDGE DOORS



**WESTWARD**



**VENTAS**  
French Door Locking System


**SLAVE EXTENSION**

600mm Slave Extension with integral adjustable keep to accept master extension.




**MASTER EXTENSION**

600mm Master Extension with integral high security forged brass linear bolt.




**LATCH STRIKE**

Adjustable centre Latch Strike to suit a centre lock position on a 56mm door. On thicker doors use an offset lock. Alternatively enquire with the sales team about a bespoke latch strike.



**TAPERED DEADBOLT**

2 x high security forged linear bolts with 22mm throw and a tapered lead in.



**REBATE LATCH STRIKE**


Keep designed for rebated stiles. Please refer to profile drawing option 2.

**TDK VRK**  
SOLD SEPARATELY



**SPLIT SPINDLE OPTION**  
for single door application

Master lock has a split spindle option as standard, with a snib facility for de-latching.



**ANTI FOUL DEVICE**

Feature that ensures slave lock must be thrown before master lock is secured.



**DOUBLE LAMINATED SHOOTBOLT**

Extra enhanced security shootbolt for improved resistance to forced entry.



**DEADBOLT STRIKE**

Fully adjustable flush deadbolt strikes with +/- 2mm of adjustment.




**EXTENDED SHOOTBOLT**

To use on doors with heights between 2100mm and 2280mm. Also double laminated.





**VENTAS**  
French Door Locking System



**WESTWARD**